


Mini Series Temperature Sensor

Part No: MS.TEMP.[SLR]-[BAT].[868]-[902]-[928]

A fully wireless, compact temperature sensor for efficient monitoring of ambient temperature. The sensor provides true peel and stick deployment, comes in two variations requiring little to no maintenance and can be rapidly fitted at minimal cost.



Features and Benefits:

- Energy harvesting - Powered by ambient light from the surrounding environments
- Battery variation, for robust operation in dark environments
- No wiring required - low cost of installation
- Fast installation time - minimal disruption for retro fits
- Optimal positioning - no wiring constraints

Functionality:

- Dynamically reports changes in temperature
- EnOcean® security capable
- Transmits data wirelessly using the EnOcean® Protocol

Variations Available:


- Solar powered only
- Solar powered with battery back-up

Applications:

- Room level, temperature monitoring
- HVAC optimisation
- Temperature detection
- Demand/occupancy driven ventilation
- Retrofit projects

Mini Series Temperature Sensor

Part No: MS.TEMP.[SLR]-[BAT].[868]-[902]-[928]



TECHNICAL SPECIFICATIONS

Measurement Range	Temperature 0°C to 40°C
Accuracy	+/-0.5°C between 17°C and 27°C Else +/- 1°C between 0°C and 40°C
Transmission Rate (Dynamic)	100 seconds if Temperature change > 0.5°C Else every 15 minutes
Battery Life* (Battery Back-up Variant Only)	Up to 10 Years
Battery Type (Battery Back-up only)	CR2354
Repeater	No
Telegram	4BS
Environment	Indoor
Enclosure Material	PC-ABS
Calibration	Factory Calibrated
Operating temperature Range	-20°C to +60°C
Storage Temperature Range	-20°C to +60°C
Dimensions	76.5mm x 28mm x 17.5mm approx
Indoor EEP	A5-02-05

*Typical life expectancy of the battery is dependent on ambient light conditions and use-case.



Pressac Sensing products incorporate EnOcean® wireless technology, and are fully compliant with EnOcean® protocols. The Pressac Sensing range can be integrated with EnOcean® products from over 300 global manufacturers.

EnOcean® is a widely established and global technology, and has been installed in over 250,000 buildings worldwide. The EnOcean® wireless standard is the first to be ratified as an international standard - ISO/IEC 14543-3-10: together with the EnOcean® Equipment Profiles (EEP) drawn up by the EnOcean® Alliance, this international standard lays the foundation for fully interoperable, open wireless technology comparable to standards such as Bluetooth and WiFi. The standard can be downloaded from www.iso.org.



Pressac Communications Limited

145 Glaisdale Drive West, Bilborough, Nottingham, NG8 4GY (UK)

+44 (0)115 936 5200 @ enquiries@pressac.com www.pressac.com

Registered in England No. 5623170 VAT No. GB 228 0228 31 Registered Office: 145 Glaisdale Drive West, Bilborough, Nottingham NG8 4GY (UK)



FM79693 EMS71291